Project Management & Co-ordination Unit Indo-Myanmar: Advanced Center for Agricultural Research & Education ICAR - Indian Agricultural Research Institute, New Delhi

F.No. IM-ACARE/2018-19/3 Dated: 01.11.2018

TENDER NOTICE

Sealed tender(s) under two bid system (i) Technical bids (ii) Financial bids on behalf of Secretary, ICAR are invited by the Director, ICAR-IARI from eligible bidders for supply, installation, testing & commissioning and on-site support for the equipment/goods listed below at Indo-Myanmar: Advanced Centre for Agricultural Research & Education (IM-ACARE) being set up by ICAR-IARI on behalf of Department of Agricultural Research & Education (DARE) at Yezin Agricultural University, Yezin, Myanmar.

Sl. No.	Description of Goods	Reqd. Qty.	Bid Security in INR (₹)
1.	Minor laboratory equipment	As specified in Chapter III B	1,20,000.00
2.	Tractor	One	75,000.00
3.	Multicrop planter	One	1,50,000.00
4.	Multicrop combine harvester	One	4,00,000.00
5.	Seed counter	One	45,000.00

TENDER FOR EACH OF THE AFORESAID EQUIPMENT/GOODS SHALL BE QUOTED FOR SEPARATELY. UNDER NO CIRCUMSTANCES COMBINED BIDS WILL BE ENTERTAINED ANY TWO EOUIPMENT/GOODS/PACKAGE. TENDER DOCUMENT FEES AND EMD WILL ALSO HAVE TO BE PROVIDED SEPARATELY FOR EACH OF THE EQUIPMENT/GOODS/PACKAGE FAILING WHICH BIDS SHALL BE LIABLE TO BE REJECTED OUTRIGHTLY.

TENDER AND OTHER FORMALITIES OF ALL EQUIPMENT/GOODS MENTIONED ABOVE WILL BE DONE BY PM&CU, IM-ACARE, ICAR-IARI, NEW DELHI. HOWEVER, THE SAME WILL HAVE TO BE SUPPLIED, INSTALLED, COMMISSIONED AND AFTER SALES SERVICE PROVIDED AT INDO-MYANMAR: ADVANCED CENTER FOR AGRICULTURAL RESEARCH AND EDUCATION (IM-ACARE) LOCATED AT YEZIN AGRICULTURAL UNIVERSITY, YEZIN, MYANMAR

Sale of tender form **01.11.2018** from **10.00 a.m.** at the PM&CU, IM-ACARE, Room No. 10,

NRL Building ICAR-IARI, Pusa Campus, New Delhi - 110 012.

Submission of tender 17.12.2018 upto 11.00 a.m. at the PM&CU, IM-ACARE, Room No. 10, documents

NRL Building ICAR-IARI, Pusa Campus, New Delhi – 110 012.

Opening of technical **17.12.2018**, **11.30 p.m.** onwards at the PM&CU, IM-ACARE, Room No. bid of tender 10, NRL Building ICAR-IARI, Pusa Campus, New Delhi - 110 012.

Ernest Money Deposit As mentioned against each of the equipment/goods above in the form of (EMD) Bank Guarantee from any Commercial Bank in favour of the Director,

ICAR-IARI payable at New Delhi in the prescribed proforma enclosed at

Annexure III (3.1) (To be enclosed with Technical bid).

Bank : Syndicate Bank Branch : Pusa Campus IFSC Code : SYNB0009029 Account No. : 90293050000040 PM&CU, IM-ACARE shall help bidders in facilitating exemptions of customs and other duties applicable in Myanmar from the Government of Myanmar with the help of The Indian Mission in Myanmar. The project is exempted from payment of excise duty for all equipment/goods manufactured in India. PM&CU, IM-ACARE shall facilitate excise duty exemption certificates to the OEM.

Tender form can also be downloaded from www.iari.res.in or www.mea.gov.in or eprocure.gov.in or www.indianembassyyangon.net. All bidders who have used a downloaded tender form shall also be required to separately submit Rs. 2000/- (Rs. Two Thousand only) towards the cost of tender document in the form of Demand Draft drawn in favour of Director, ICAR-IARI, in addition to the earnest money as above. In no case cost of tender form and Earnest Money amount should be combined. Both are to be compulsorily enclosed with Technical bid. No interest will be paid on earnest money deposit.

Principal Investigator PM&CU, IM-ACARE

Project Management & Co-ordination Unit Indo-Myanmar : Advanced Center for Agricultural Research & Education ICAR - Indian Agricultural Research Institute, New Delhi

SCHEDULE OF TENDER (ADVERTISED TENDER ENQUIRY)

For and on behalf of the Secretary, ICAR, the Director, IARI-IARI invites sealed tenders under **Two Bid System** (Technical and Commercial Bid) on the prescribed forms **Chapter - IV** and **V**, from eligible bidders for supply, installation, testing & commissioning and on-site support for the equipment/goods listed below at Indo-Myanmar: Advanced Centre for Agricultural Research & Education (IM-ACARE) being set up by ICAR-IARI on behalf of Department of Agricultural Research & Education (DARE) at Yezin Agricultural University, Yezin, Myanmar for the purchase of the following stores as detailed in this schedule to tender. However, PM&CU, IM-ACARE/Director ICAR-IARI shall have the sole discretion/authority whether to purchase the below mentioned equipment or not at any point without assigning any reason whatsoever.

S1. No.	Name of the Equipment/Goods	Qty.
1.	Minor laboratory equipment	As specified in Chapter III B
2.	Tractor	One
3.	Multicrop planter	One
4.	Multicrop combine harvester	One
5.	Seed counter	One

THIS TENDER ENQUIRY HAS THE FOLLOWING CHAPTERS AND ANNEXURES:

Chapter I : Instructions to Bidders

Chapter II : Conditions of Tender/Contract

Chapter III : Schedule of Requirement Chapter IV : Proforma for Technical Bid Chapter V : Proforma for Financial bid

Annexure I : Performance statement for last 3 years

Annexure II : Checklist for bidders

Annexure III : Proformae

All bidders are requested to thoroughly study the tender documents and ensure compliance to all required documents and annexures; correctly filled, sign and stamp the document where applicable; before submitting the same to avoid rejection of their bids.

Bidders are advised to carefully go through all the conditions and documents attached with this tender enquiry, before filling in the tender. All tender documents attached with the tender are sacrosanct for considering any offer as a complete offer. All tender documents must be duly completed, signed by authorized signatory on each page and returned with the offer. This tender is not transferable.

(Signature of Bidder with Official seal)

Principal Investigator PM&CU, IM-ACARE

Chapter I: Instructions to Bidders

(THIS TENDER SET IS NOT TRANSFERABLE)

1. Name of Tendering Unit : Principal Investigator,

& Contact details

Project Management & Co-ordination Unit (PM&CU)

Indo Myanmar: Advanced Center for Agricultural Research & Education (IM-ACARE), Nuclear Research Laboratory Building,

ICAR-IARI, Pusa Campus, New Delhi - 110 012

Telefax No.: +91 - 11 - 25848428 : pmcu_acare@gmail.com E-mail

Tender Cost

: Rs. 2000/- (Rs. Two Thousand only)

(Tender document can either be purchased from the aforesaid unit or can be downloaded from www.iari.res.in or www.mea.gov.in or eprocure.gov.in. All bidders using a downloaded tender form shall also be required to separately submit Rs. 2000/- (Rs. Two Thousand only) towards the cost of tender document in the form of Demand Draft drawn in favour of Director, ICAR-IARI, in addition to the earnest money as above. In no case cost of tender form and earnest money amount should be combined. Both tender form cost as well as EMD is to be compulsorily enclosed with Technical bid. No interest will be paid on earnest money deposit. Tenders submitted without both the prescribed fees shall be liable

for outright rejection.

2. Pre-Bid Meeting

Only for equipment

having an estimated cost above INR 25 Lakhs/USD 40,000) : For sl. nos. 2, 3 & 4 is scheduled on

12.11.2018 at 10.30 a.m. at PM&CU, IM-ACARE, Room No. 301, NRL Building, ICAR-IARI, Pusa Campus, New Delhi - 110 012.

3. Last date & time of sale of tender document

: 15.12.2018 upto 04.30 p.m.

at the PM&CU, IM-ACARE, Room No. 10, NRL Building ICAR-IARI, Pusa Campus, New Delhi - 110 012.

4. Last date & time of receipt of tender

: 17.12.2018 upto 11.00 a.m.

at the PM&CU, IM-ACARE, Room No. 10, NRL Building ICAR-IARI, Pusa Campus, New Delhi - 110 012.

The envelope containing tender documents must be clearly superscribed with the Tender No., Name of Equipment/Goods quoted for & Date of opening. The Unit shall not be responsible for tenders submitted at any other place. Tenders not received within the due date & time will not be considered under any circumstances or for any reason.

Bidders are advised to carefully go through all the conditions and documents attached with this tender enquiry, before filling in the tender. Bidders are requested to study the tender documents completely and ensure all documents, forms and annexure to the tender are completely and correctly filled in, signed and stamped where applicable, all necessary literature, brochures and pamphlets have been attached and then to submit their offer. Incomplete tender documents shall be rejected straightway without any reference to the tenderers. Leaving any column not filled in or with cuttings will lead to rejection of the tender

In the event of the date specified for bid receipt being declared as a closed holiday for purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed times.

5. Time, date & venue of opening of technical bid

: 17.12.2018, 11.30 a.m. onwards

at the PM&CU, IM-ACARE, Room No. 301, NRL Building ICAR-

IARI, Pusa Campus, New Delhi - 110 012.

In the event of the date specified for bid opening being declared as a closed holiday for purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed times.

6. Earnest Money Deposit (EMD) and Validity

: Must be deposited in the form of Bank Guarantee in favour of Director, ICAR-IARI from any Commercial Bank in the prescribed format enclosed at Annexure III (3.1) having validity for a period of nine months from the date of scheduled opening of the tender. EMD in any other form shall not be entertained.

7. Offer Validity

: Nine months from scheduled date of opening of tender. In the absence of any indication in the tender documents submitted, of the date up to which the offer has been kept valid, it will be taken that the offer will remain open for acceptance for the period specified in the Schedule to Tender.

8. Extension of validity & EMD

: If the validity of the tender is extended, the validity of earnest money will also have to be suitably extended by the tenderer failing which their tender shall not be considered by the purchaser after the expiry of the said period.

9. Eligibility for Responding

- Only those firms should respond who are the original equipment/goods manufacturers or their Indian subsidiaries or authorized dealers/distributors/agents of the stores specified in the tender specifications.
- ii) Submit a certificate from the original equipment/goods manufacturer (in original ink signed) in the format enclosed Annexure III (3.3).
- iii) Indian agents of foreign manufacturers/principal are allowed to participate in the tender subject to the following conditions in addition to ii above:
 - a) Offers from firms whose business activities are limited to procuring items from manufacturers, both Indian and Foreign and supplying the same to the purchaser, and having no after sales service backup will not be entertained.
 - b) Where the quoting party/Indian representative claims to be subsidiary or branch office or an authorized representative or principal foreign manufacturer/supplier in India, then a copy of approval from RBI/Ministry concerned for operating business in India as subsidiary/branch/liaison or joint -venture may be submitted with offer. The Indian agent of foreign manufacturer should be registered with DGS&D only in case the bid is for item falling in the restricted list of the Export & Import Policy of Govt. of India/Myanmar. A copy of the current concerned Registration Certificate must be enclosed failing which the bid will not be accepted.
 - c) The tenderer must have latest income tax clearing certificate/PAN/TIN.
 - d) The tenderer must have latest VAT/ST clearance certificate
 - e) The firm must have trade registration certificate

10. Opening of Tender

: Tendering firms can authorize a representative to be present at the opening of the tender. The representative must bring with him a letter of authority from the firm to be present at the opening of tender. However, in the case of equipment/goods having an estimated value of less than 25 lakhs/US \$ 40,000 the same shall not be applicable.

- (a) The purchaser has the right to have a demonstration of the equipment/item in his premises. The supplier has to abide by this condition. The demonstration has to be arranged by the supplier at his own cost.
- (b) In the case of consumable materials, the firm has to provide sample(s) and in the case of fabrication prototype has to be provided by the firm.
- 11. Delivery requirement

: Installation and commissioning of the equipment/goods must be completed within 90 days from the date of opening of letter of credit (LC)/issue of purchase order (PO).

12. Terms of Delivery

: DAP (Delivered at Place - As per INCOTERM 2010) i.e. the seller pays all the costs of transportation (export fees, carriage, insurance, and destination port charges) up to and including the delivery of the goods to the final destination at IM-ACARE, Yezin Agricultural University Campus, Nay Pyi Taw, Myanmar.

goods

13. **Inspection after receipt of**: Inspection will be done by the designated committee in the pres--ence of firms representative. The successful tenderer will have to provide and arrange for technically qualified personnel at the consignee's location for joint inspection at their own cost. This/these personnel must be able to unpack, assemble and demonstrate the use of the equipment fully and identified each part/machines supplied. Any consumables that are essential will be provided by the supplier free of cost.

> In case of receipt of materials in damaged condition the suppliers will have to arrange the replacement of goods free of cost. All expenses in this regard will be borne by the supplier.

14. Packing & Marking

The packing and preservation of the supplied goods shall be airworthy/seaworthy/roadworthy (as the case may be) so that it may provide their safety during transit period. The seller shall guarantee that the packing is strong enough to withstand the safety of the goods during transport. The packing should satisfy the security seal in the clearing warehouse and shall carry the fragile or other markings as required.

Each packing case shall have labels as follows:

Tender No. :

Consignee

: Indo-Myanmar : Advanced Center for Agricultural Research and Education (IM-ACARE), Yezin Agricultural University Campus, Nay Pyi Taw, Myanmar.

15. Comprehensive annual maintenance charges (CAMC) covering the equipment & all other associated accessories for a period of three years post warranty (separately for each year) will have to be mandatorily quoted for directly by the OEM in the format provided in Annexure-IV (4.4) failing which the bid shall be out rightly declared non-responsive. CAMC charges shall be added to the initial cost of the equipment & accessories to arrive at the total life cycle cost of the equipment at the end of five years. The contract shall be awarded to the bidder having the minimum life cycle cost.

However, CAMC charges shall only be paid annually after successful completion of 1st, 2nd and 3rd year of CAMC period i.e. at the end of 3rd, 4th and 5th year of supply of the goods/equipment.

16. Compliance Statement

: The firms must submit compliance statement-cum-technical bid in the format given in Chapter -IV failing which their offer will be treated as incomplete and is liable to be rejected.

17. Earnest/Security Deposit: Must be deposited in the form of Bank Guarantee in favour of Director, ICAR-IARI from any Commercial Bank in the prescribed format enclosed at Annexure III (3.1) having validity for a period of nine months from the date of scheduled opening of the tender.

> There will be no exemption for paying earnest money. However, Firms registered with the Central Purchase Organization/NSIC only are exempted from submitting bids without EMD (proof of registration must be attached without which exemption shall not be considered).

> In case, if any tenderer fails to deposit the Earned Money the tender will be rejected straightway.

18. Guarantee/Warranty

: Two years comprehensive on-site warranty must be provided by the OEM. Warranty period will start from the date of successful installation of items. In case at installation stores/part of stores are found defective/damaged during or after delivery to consignee, the suppliers will replace or repair the store under warranty at consignee's location free of cost. In case any of the part of the equipment or the equipment itself is required to sent back to the manufacturer, a bank guarantee equivalent to the cost of equipment is required to be submitted before lifting the store. All expenses in this regard will be borne by the supplier.

19. Performance Security

: Successful bidder will have to submit a performance security of equivalent to 10% of the contract/order value before the release of the last 10% of the order value. The validity of performance security will be 27 months from the date of successful installation of the goods/equipment in the form of Bank Guarantee in favour of Director, ICAR-IARI from any Commercial Bank in the prescribed format enclosed at Annexure III (3.2).

20. Liquidated Damages

: In case the firm does not complete the supply within the agreed delivery period as per contract, liquidated damages @ 0.5% per week or part thereof subject to a maximum of 10% of the contract value will be charged. However, the Institute reserves the right to either further extend or cancel the contract after expiry of delivery date and recover the liquidated damages from the dues of the firm or by legal means.

21. Dispute settlement

: Any dispute arising out of this contract shall be subject to the jurisdiction of Indian laws & court at New Delhi. Sole arbitrator is appointed by the Secretary, ICAR, New Delhi. His decision will be final and binding to both parties (Supplier and Purchaser).

- 22. **Submission of the proposal**: The tenderers must submit the tenders in **TWO BID SYSTEM** i.e. bidders should give **the technical details/bid as per chapter IV** and price bid as per Chapter -V in separate sealed covers.
 - (A) Envelope 1 Technical bid should contain the following The word "TECHNICAL BID" should be written clearly and prominently on this envelope along with tender number, name of goods/equipment quoted for and date of opening.
 - i) Tender documents duly completed and signed but WITHOUT INDICATING THE PRICES.
 - ii) The technical details of the models offered along with the supporting original technical literature, leaflets, brochures etc. as per Chapter-IV.
 - iii) EMD as per Annexure-III (3.1).
 - iv) Cost of tender form Rs. 2000/- in the form of demand draft in favour of Director, IARI payable at New Delhi if the tender document is downloaded from website.
 - v) Details of supplies of similar equipment as per Annexure-I along with copies of supply orders.
 - vi) Case specific authorization from the OEM as per Annexure-III (3.3).
 - vii) Trade registration certificate from the RBI/Ministry/department concerned.
 - viii) Latest income tax clearance certificate/copy of PAN card/TIN.
 - ix) Self-Attested copy of VAT/ CST, Service Tax Number/Registration certificate, as applicable.
 - All documents related with firm registration/ partnership deed/articles of memorandum of association or proprietorship deed, certificate of incorporation should be attached.
 - xi) The installation and warranty services are required in Myanmar. The bidder should submit along with the technical bid; the detail plan for providing warranty service at site(s). The bidders should have their own branch office/ service centre in Myanmar or plans to provide service through local dealer/ service provider there. In either case, an undertaking to this effect should be submitted along with the technical bid. The details viz. name, address, contact person, telephone/fax, email etc. should be provided along with an undertaking from this local dealer/ service provider within 30 (thirty) days of the receipt of Supply Order from ICAR-IARI (if applicable).
 - xii) Undertaking to the effect that all the tender terms & conditions are acceptable to the bidder as per Annexure-III (3.5).
 - xiii) Technical bulletin clearly highlighting compliance of the quoted model of the goods/equipment to all the technical specifications called for in the tender document.
 - (B) Envelope 2 Financial/Price bid should contain the following The word "FINANCIAL BID" should be written clearly and

prominently on this envelope along with tender number, name of goods/equipment quoted for and date of opening.

- i) Details of rates, taxes, duties, discounts, if any, quoted by the bidder, should be submitted as per Chapter-V.
- ii) Any documents in support of price bid.
- iii) Prices should invariably be quoted on DAP (Delivered at Place As per INCOTERM 2010) i.e. the seller pays all the costs of transportation (export fees, carriage, insurance, and destination port charges) up to and including the delivery of the goods to the final destination at IMACARE, Yezin Agricultural University Campus, Nay Pyi Taw, Myanmar.
- iv) In case of discrepancy between words and figures, the rates quoted in words shall be treated as final. The amount will be calculated by multiplying correct price with quantity and in case of any discrepancy, the corrected amount shall be considered and total of all corrected amount shall be treated as bidder's total quoted amount.
- v) In case the bidder submits a quote in any currency the currency other than Indian Rupees, the value of work in Indian Rupees (INR) for the purpose of comparison shall be determined by using the exchange rate declared by Reserve Bank of India (RBI) as on the last date of submission of technical/ price bids and the eligibility of the bidder shall be determined accordingly.

Full name and status of the person signing the tender documents must be clearly mentioned in the Tenders.

Quotation/Tender unsealed or having overwriting and cutting without proper attestation and signature will not be considered.

Both the sealed envelopes separately containing the technical and commercial bids should be sealed inside a larger envelope. The envelope containing both envelope 1 & envelope 2 should be clearly and prominently have the tender number, name of goods/equipment quoted for and date of opening.

The envelope should be addressed to:

Principal Investigator,

Project Management & Co-ordination Unit (PM&CU)

Indo Myanmar: Advanced Center for Agricultural Research & Education (IM-ACARE), Nuclear Research Laboratory Building, ICAR-IARI, Pusa Campus, New Delhi – 110 012

Non-compliance of the aforesaid method of submission of bids shall be treated as non-responsive and the bids shall be subject to outright rejection.

Only technical bids shall be opened on the scheduled date of tender opening.

Price bids of only those offers which are found to be technically compliant by the designated committee shall be opened with prior intimation to the bidders whose financial bids are supposed to be opened.

The Bid shall be neatly arranged, clear and intelligible. Each page of the bid should be signed by the authorized person. They should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid. The conditional bid will be summarily rejected. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.

23. Evaluation of the bids

: A two stage bid evaluation procedure as detailed below will be adopted :

i) Stage - I

- a) Evaluation of Technical Bids to assess their suitability against the laid down parameters.
- b) Tenderers must ensure that they enclose all original technical literature and detailed documentary proofs which specifically bring out the compliance of the equipment being offered against the specifications. If necessary, the tenderers may be directed to give a presentation for evaluation by a technical committee constituted for the purpose.
- c) In case it is not possible to verify compliance of equipment as per technical bid due to lack of adequate documents, in original no reference will be made to tenderer and the bid will not be considered further and treated as cancelled.

ii) Stage - II

- a) The price bids of only those firms who are found compliant to the laid down specifications at stage I shall be opened, evaluated and considered further for financial evaluation.
- b) It is in the tenderers interest to include all relevant and detailed technical data as supporting documents along with their bid.
- c) CAMC charges shall be added to the initial cost of the equipment & accessories to arrive at the total life cycle cost of the equipment at the end of five years. The contract shall be awarded to the bidder having the minimum life cycle cost.

24. Mode of Payment

: Release of payment to successful bidders towards the procurement of goods/equipment/machinery shall be based on milestones as mentioned below

Payment milestones	% of Total cost of Equipment	Cumulative % of total cost
On finalization of tender, placement of purchase order for equipment and proof of dispatch of equipment	50	50
On receipt equipment at the site and proof of delivery (to be	30	80

certified by the Resident Advisor, ACARE and/or Director, ACARE).		
Completion of installation and commissioning of equipment (to be certified by the Resident Advisor, ACARE and/or Director, ACARE).	20	100
Total	100	100

For goods/equipment/machinery which are manufactured in or sourced from India, payment shall be made in INR. For goods/equipment/machinery which are manufactured in or sourced from any country outside India, payment shall be directly made to the OEM through an irrevocable Letter of Credit (LC). LC will be opened on 100% DAP (Delivered at Place – As per INCOTERM 2010) value of the goods/equipment/machinery and released shall be made upon the attainment of the aforesaid payment milestones.

All bank charges outside India will be borne by the supplier. In case the delivery date of the contract is extended to take care of delay in supply, for which the suppler is responsible, the tenure of the letter of credit so extended, the expense incurred therefore such extension is to be borne by the supplier.

25. **Training**

- : The tenders shall provide training to the user as per the terms and conditions of contract as has been specified in the technical and financial bids free of cost at the time of installation and commissioning of the equipment at the consignees/users location. As specified by the purchaser all expenses in this regard shall be borne by the supplier.
- 26. **Insurance & transportation**: To be completely borne by the bidder/supplier **charges**
- 27. Corrupt or fraudulent practices

: No Bidder shall contact the Purchaser on any matter relating to their bid from the time of the bid opening to the time the contract is awarded.

Any effort by a bidder to influence the purchaser in the purchaser's bid evaluation, bid comparison or contract award decisions may result in the rejection of the bid.

It is expected that the bidders who wish to bid for this project have highest standards of ethics.

ICAR-IARI, New Delhi will reject bid if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices while competing for this contract.

ICAR-IARI, New Delhi may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded a contract if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contract.

- 28. In case of any ambiguity/ dispute in the interpretation of any of the clauses in this tender document; Director ICAR-IARI's interpretation of the clauses shall be final and binding on all parties.
- 29. A legally agreement/contract shall be executed with the supplier/bidder by the Institute before installation of goods/equipment/machinery in the format given at Annexure III (3.6).

Chapter II: Conditions of Tender/Contract

(THIS TENDER SET IS NOT TRANSFERABLE)

- 1. All annexures, attached with the tender document should be duly filled in and supported with requisite documents for considering any offer as a complete offer.
- 2. Director, ICAR-IARI New Delhi, reserves the right to cancel/reject any or all the tenders without assigning any reason.
- 3. In case the bidder uses a downloaded tender document, the bidder must separately submit a demand draft of Rs. 2000/- (Rs. Two Thousand only) drawn in favour of Director, ICAR-IARI, New Delhi towards the cost of tender document in addition to the earnest money. In no case cost of tender form and earnest money amount should be combined. Both tender form cost as well as EMD is to be compulsorily enclosed with Technical bid. No interest will be paid on earnest money deposit. Tenders submitted without both the prescribed fees shall be liable for outright rejection.
- 3. **Earnest Money Deposit**: Must be deposited in the form of Bank Guarantee in favour of Director, ICAR-IARI from any Commercial Bank in the prescribed format enclosed at Annexure IV (4.1) having validity for a period of nine months from the date of scheduled opening of the tender. No other form of deposit will be accepted. Technical bid without supported with earnest money, therefor will be rejected.

There will be no exemption for paying earnest money. However, Firms registered with the Central Purchase Organization/NSIC only are exempted from submitting bids without EMD (proof of registration must be attached therefore without which it will not be considered).

- a) No interest shall be payable by the purchaser on the EM deposited by the tenderer.
- b) The EM deposited is liable to be forfeited if the tenderer withdraws or amends impairs or derogates from the tender in any respect within the period of validity of his tender.
- c) If the successful tenderer fails to furnish the performance <u>security</u> as required in the contract within the stipulated period, the **Earnest Money** shall be liable to be forfeited by the purchaser.
- d) EMD of the unsuccessful tenders shall be returned after finalization of tender.

4. Guarantee/Warranty:

a. Except otherwise provided in the invitation to tender the contractor hereby declares that the goods/equipment/machinery sold/supplies to the purchaser/consignee under this contract shall be of best quality and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars mentioned/contained in the contract. The contractor hereby guarantees that the said goods/stores/articles would continue to confirm to the description and quality aforesaid for a period of two (02) years from the date of receipt of goods/articles/equipment in good condition at site by the consignees in case of supply contract and two (02) years from the date of installation and satisfactory taking over of the goods/equipment/machinery at site by consignee where installation and commission is involved and notwithstanding the fact that the purchase/inspection authority has inspected and/or approved the said goods/ equipment/machinery or such if during the two (02) years the said goods/equipment/ machinery be discovered not to confirm to the description and quality aforesaid or not giving satisfactory performance or have deteriorated and the decision of the purchase /consignee in that behalf shall be final and biding on the contractor/seller and the purchaser shall be entitled to call upon the contractor/seller to rectify the goods/ equipment/machinery or such specified period as may be allowed by the purchaser in his discretion on application made thereof by the contractor/seller, and in such an event, the above period shall apply to the goods/equipment/machinery rectified from

the date of rectification mentioned in the warranty thereof, otherwise the contractor/seller shall pay the purchaser such compensation as may arise by reason of the breach of warranty therein contained.

- b. Guarantee that they will supply the spare parts, if and when required during the entire period of warranty and CAMC period on the quoted price.
- NOTE: In case of any discrepancy in the period of guarantee/warranty mentioned anywhere else in this tender document, the stipulations as mentioned in the chapter III (specification of the equipment/ item to be purchased) would prevail.
- 5. **Price**: The price shall be quoted on DAP (Delivered at Place As per INCOTERM 2010), IM-ACARE, Yezin Agricultural University, Nay Pyi Taw, Myanmar and shall be on firm and fixed basis and should be reasonable living no scope for any further negotiation on price.
 - (A) **CAMC of Equipment:** Comprehensive annual maintenance charges (CAMC) covering the equipment & all other associated accessories for a period of three years post warranty (separately for each year) will have to be mandatorily quoted for directly by the OEM in the format provided in Annexure–IV (4.4) failing which the bid shall be out rightly declared non-responsive.

CAMC charges shall be added to the initial cost of the equipment & accessories to arrive at the total life cycle cost of the equipment at the end of five years. The contract shall be awarded to the bidder having the minimum life cycle cost.

However, CAMC charges shall only be paid annually after successful completion of 1st, 2nd and 3rd year of CAMC period i.e. at the end of 3rd, 4th and 5th year of supply of the goods/equipment.

6. **Penalty for use of undue influence :** The seller should undertake that he has not given offered or promised to give directly or indirectly any gift, consideration, reward, commission, fees brokerage of inducement to any person in service of the Purchaser or otherwise in procuring, the contract or forbearing top do or for having done or for borne to do any act in relation or execution of the contract or any other contracts with the Institute for showing or for bearing to show favour or disfavor to any person in relation to the contract or any other contract in the IARI. Any breach of the aforesaid undertaking by the seller or any one employed by him or acting his behalf whether with or without the knowledge the seller or the commission of any offers by the seller or any one employed or acting on his behalf, as defined in Chapter-IX of the IPC, 1860 or the Prevention of Corruption Act, 1947 or any other Act enacted for the Prevention of Corruption shell entitle the purchase to cancel the contract and all or any other contract with the Institute seller and recover from the seller the amount of any loss arising from such cancellation. A decision of the purchaser or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the seller.

Giving or offering of any gift, bribe or inducement or any attempt at any such act on behalf of the seller towards any officer/employee of the purchaser or to any other person in a position to influence any officer/employees of the purchaser for showing any favour in relation to this or any other contract sell render

- 7. **Laws governing the contract**: The contracts shall be governed by the laws of India for the time being in force. The contract shall be interpreted in accordance with these laws.
- 8. **Jurisdiction of Court :** The court of the New Delhi shall have a Jurisdiction to decide any dispute arising out of or in respect of contract.
- 9. **Force Majeure Clause :** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in

performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such event may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods. Epidemics, quarantine restrictions, strikes, lockout or any act of war. Notice of the happening of any such event is given by either party to the other within 15 days from the date of occurring thereof. However either party at its discretion can terminate the contract in such cases.

- 10. **Termination of contracts**: Time shall be the essence of the contract. The purchaser shall have cuthe right to terminate the contract without any notice in part or in full in any of the following cases.
 - a) The delivery of the material is delayed for causes not attributed to Force Majeure after the scheduled date of delivery.
 - b) The seller is declared bankrupt or becomes insolvent.
 - c) The delivery material is delayed due to causes of Force Majeure by more than reasonable time.
 - d) In case performance Security is not furnished within the time period specified by the purchaser.

Supply in the case of successful Tenderer should strictly confirm to the specifications of the equipment being purchased. Any change in Address /Telephone/Fax/e-mail of the tenderer should immediately be informed. The state of non-communication by the firm will make the offer liable for rejection.

- 11. Successful bidder will have to provide the original proforma invoice from the OEM (duly signed in ink), within 15 days of the date of receipt of purchase order, failing which purchase order will automatically stand cancelled without any further communication.
- 12. **Govt. Regulations**: It shall also be confirmed that there are no Govt. restrictions or limitation in the country of the supplier or countries from which sub-components are being procured and/or for the export of any part of the system being supplied. Supplies/Contracts shall provide a certificate this effect.
- 13. **Late /Delayed tenders** shall not be considered at all. These will be returned to the firm as it is at their expenses. Post tender revision/correction shall also not be considered.
- 14. **Acceptance or rejection of offer:** Director ICAR-IARI, New Delhi reserves the right to accept or reject any tender in part or full without assigning any reason thereof. The successful bidder should submit order acceptance letter within 15 days from the date of issue.
- 15. **Page Numbering & Signature :** Every page of the tender must be numbered and signed by the authorized signatory giving his/her name and designation below the signature.

Principal Investigator PM&CU, IM-ACARE

(Signature of Bidder with Official seal)

Chapter III: Schedule of Requirement

(THIS TENDER SET IS NOT TRANSFERABLE)

A. List of requirement & their delivery schedule

Sl. No.	Description of Goods	Reqd. Qty.	Bid Security in INR (₹)	Final Destination (Project Site)	Delivery Period
1.	Minor laboratory equipment	As specified in Chapter III B	1,20,000.00	IM-ACARE, Yezin	Within 90 days from the date
2.	Tractor	One	75,000.00	Agriculture	of issue of
3.	Multi-crop planter	One	1,50,000.00	University,	Purchase
4.	Multi-crop combine harvester	One	4,00,000.00	Nay Pyi Taw,	Order/Letter of
5.	Seed counter	One	45,000.00	Myanmar	Credit.

B. Technical specifications

The Goods and Related Services shall comply with following Technical Specifications and Standards

Serial No. 1: Minor Laboratory Equipment

1. Benchtop Vortex - 6 Nos.

a) Maximum rpm : ≥ 4000 b) Orbital diameter : ≥ 4 mm c) Maximum load capacity : ≥ 500 g

- d) Must have digital display of speed and time & have capability of varying the speed & time.
- e) Must have brushless DC motor having possibility of working in pulsed mode.
- f) Should have inbuilt counter balance for sturdy and safe operation.

2. Magnetic stirrer (single place) - 3 Nos.

i) Maximum rpmii) Maximum load capacityi ≥ 1500iii) ≥ 750 ml

- iii) Must be provided with corrosion resistant stainless steel/ceramic top surface.
- iv) Must have digital display of speed and time & have capability of varying the speed & time.
- v) Must be motorless, microprocessor controlled and have possibility of working in pulsed mode.
- vi) Must be spill resistant and IP 64 compliant design

3. Hot plate magnetic stirrer (single place) - 3 Nos.

i) Maximum stirring capacity : ≥ 20 lts.

ii) RPM range : 20 to 2000 or better

iii) Temperature range : Ambient to 500°C or better

iv) Temperature accuracy : ± 1°C or better v) Timer setting range : 1 to 999 min.

- vi) Must have simultaneous digital display of actual & set speed, time & temperature.
- vii) Must be provided with PT-1000 temperature probe along with stand.
- viii) Must be provided with corrosion resistant stainless steel/ceramic top surface.
- ix) Must have brushless DC motor.
- x) Must have suitable data interface like RS 232/USB/IR etc.
- xi) Must be IP 21 compliant design

4. Platform shaker - 3 Nos.

a) RPM range : 50 to 500 or better

b) Orbital diameter : ≥ 10 mm c) Maximum load capacity : ≥ 7500 g

- d) Must have facility for clockwise and anti-clockwise operation and must be programmable for sequential and loop operation.
- e) Must have simultaneous digital display of speed and time.
- f) Must have brushless DC motor having possibility of working in pulsed mode.
- g) Should be supplied with non-corrosive universal platform made of stainless steel/ceramic with adjustable bars for accommodating flasks of different capacities.
- h) Must have suitable data interface like RS 232/USB/IR etc.
- i) Must be IP 21 compliant design

5. pH Meter - 6 Nos.

- a) The measurement of pH, mV and temperature should be possible.
- b) Range of pH measurement should be -2.00 to + 14.00.
- c) Accuracy for each pH measurement should be ±0.005.
- d) For calibration, pre-programmed buffer sets should be supplied, automatic buffer recognition and display should be possible, maximum 3-point calibration, manual calibration with selected buffers should be possible.
- e) Should have dead stop function.
- f) Range for mV should be -999.9 to +999.9. Accuracy for each mV measurement should be ±0.3 mV.
- g) Auto range function for mV, which can be switched off, if needed.
- h) Temperature measurement range should be from -5 to 120°C.
- i) Accuracy for temperature ±0.1°C.
- j) Selection for °C and automatic switch over to manual temperature input when no temperature input is connected.
- k) Two channel for pH, mV and temperature measurements.
- l) RS 232 C interface, data storage for 800 data, BIVC connection, including cover and stand, power supply z 850, pH temperature combination electrode, calibration solutions.

6. Water bath - 6 Nos.

- a) Tank: High grade SS tank
- b) Capacity: 5 lts. or more
- c) Temperature range: Ambient to 99° C
- d) Temperature accuracy: ± 0.2° C
- e) Temperature control: Digital PID control
- f) Timer: 0.1 Hour to 99.9 Hours & continuous
- g) Safety protection: User settable and fixed thermal cut-out
- h) Display: Digital display of temperature
- i) Alarm: Low level water alarm, safety shut down audible/visual alarm
- j) Operating voltage: 230 ±10VAC, 50 Hz.
- k) Tank design for easy cleaning and draining
- 1) Steel holder for tubes (1.5/2 ml, 5ml, 15 ml) and Flasks (50, 100 & 250 ml)

7. Weighing balance

A. Capacity : $\geq 6000 \text{ g}$ Least Count : $\leq 10 \text{ mg}$ Repeatability : $\leq \pm 10 \text{ mg}$ Linearity : $\leq 20 \text{ mg}$ Pan size : $\geq 150 \times 150 \text{ mm}$ Should have motorized internal calibration and digital display for setting and control of parameters.

Must have overload protection.

Must have ISO/GLP compliant printing capability.

No. required: One

B. Capacity : \geq 600 g **Least Count** : ≤1 mg $: \le \pm 1$ mg Repeatability $: \le \pm 3 \,\mathrm{mg}$ Linearity Pan size : \geq 100 mm dia.

Should have motorized internal calibration and digital display for setting and control of parameters.

Should be provided with a suitable draft shield chamber.

Must have overload protection.

Must have ISO/GMP/GLP compliant data transfer and printing capability.

No. required: Two

C. Capacity : ≥ 200 g **Least Count** : \leq 0.1 mg Repeatability $\leq \pm 0.1$ mg Linearity $\leq \pm 0.3 \text{ mg}$: \geq 75 mm dia. Pan size

Should have motorized internal calibration and digital display for setting and control of parameters.

Should be provided with a suitable draft shield chamber.

Must have overload protection.

Must have ISO/GMP/GLP compliant data transfer and printing capability.

No. required: Two

All the three types of balance mentioned above should have suitable LCD/LED/ VFD digital display of all relevant parameters.

Ice flaking machine - 2 Nos.

Capacity : 25 to 30 kg per 24 hrs. a)

b) Ice storage bin capacity : ≥ 15 kg

: Small granular snow ice c) Ice type

d) Water consumption : \leq 1 lt./hr.

- All contact parts with water & ice should be made of 304 grade stainless steel and the outer surface can be either stainless steel or CRC sheet duly powder coated.
- The insulation material used should be CFC free, fluorine free and antibacterial. f)
- The refrigerant used must be CFC & HCFC free; and comply with EU RoHs environmental requirements.
- The system must have facility for auto detection and protection for power overloading and h) water shortage.
- Other mandatory features : Ice full display, lack of water, too cold protection, i)

fault warning display protective shutdown.

- The machine should automatically shut down by full/lack of water, automatically boot when the failure removed, with automatic memory & recovery function.
- Should have tank float type water system to ensure that no residual water more than water, no de-icing process, absolute loss, the residual water, saving water and energy.
- 1) Should have two-stage reducers, low noise (≤ 50 dB), smooth and reliable operation.

- m) Should have cooling holes and fans in the top of the machine to ensure reducer motor reliable operation under high temperature and harsh conditions.
- n) Should be mounted on lockable castor wheels for easy movement from one place to another.

9. Hot Air Oven - 3 Nos.

a) Minimum inner dimension : 600 x 600 x 600 mm b) Temperature range : 10°C above RT to 250°C

c) Temperature display/accuracy : ± 0.1 °C d) Shelves : ≥ 3 slotted

- e) Entire inner chamber along with shelves to be made from 304 grade stainless steel.
- f) Outer chamber to be made either of stainless steel or CRC sheet duly powder coated for rust resistance.
- g) Insulation between the inner and outer chamber should be at least 75 mm and the same should be filled with special grade high quality insulation to prevent heat loss.
- h) The door should be provided with see through glass window of at least 300 x 300 mm.
- i) Air ventilation ports must be provided on both sides in both inner and outer chamber.
- j) The inner chamber should be provided with air circulating fan/blower for uniform temperature distribution within the chamber.
- k) The system should be provided with intelligent microprocessor based precise temperature controller for setting and measurement.

10. Vacuum Oven - 2 Nos.

a) Minimum inner size : 600 x 600 x 600 mm b) Temperature range : 10°C above RT to 150°C

c) Temperature display/accuracy : $\pm 0.1^{\circ}$ C d) Shelves : ≥ 3 slotted e) Vacuum required : Ultimate

- f) Must be provided with suitable vacuum measurement and control system with accuracy of ± 50 mm of water.
- g) Entire inner chamber along with shelves to be made from 304 grade stainless steel.
- h) Outer chamber to be made either of stainless steel or CRC sheet duly powder coated for rust resistance.
- i) Insulation between the inner and outer chamber should be at least 75 mm and the same should be filled with special grade high quality insulation to prevent heat loss.
- j) The door should be provided with see through glass window of at least 300 x 300 mm.
- k) The system must be provided with a suitable oil free vacuum pump which can attain complete vacuum within the oven within 10 min. along with suitable moisture trap, tubings, pressure gauge, etc.
- The system should be provided with intelligent microprocessor based precise temperature controller for setting and measurement.

11. Grinding mill - 2 Nos.

a) Capacity : upto 3 kg/hr.
b) Maximum feed size : ≥ 10 mm
c) RPM range : 4500 to 6000
d) Fineness range of ground product : 2 to 100 mesh

- e) All contact part with food material should be made of stainless steel/mild steel.
- f) Must be provided with at least 10 different suitable stainless steel sieves to be used in the grinding chamber to obtain desired sizes of particles.
- g) Additionally, an external mechanical sieve set made of bras or stainless steel must be provided or conducting sieve analysis of the final ground product.

12. Peristaltic pump - 6 Nos.

a) Must be suitable for use independently, as an ancillary device for laboratory use.

b) Flow rate : ≥ 0 to 10 ml/min.

c) Flow accuracy : $\leq \pm 1\%$

d) Operation : Manual/programmable

e) Settable parameters : Time & speed

f) Time resolution : 0 to 999 min. in steps of 1 min. or less.

g) Speed resolution : 0 to 999 rpm with steps of 1 rpm (digitally

controlled).

h) Should have non-volatile memory for storage of at least 10 settings.

i) Must have possibility for RS-485 or RS-232 interface.

i) Must be CE certified.

k) Should have possibility of bidirectional operation, start/stop with adjustable speed.

13. Muffle Furnace - 1 No.

a) Size : 8 x 8 x 8 inches swing aside door at the front

b) Construction : Double shell steel case with cooling fan to keep

outside case cool and high purity alumina fiber

insulation for max. energy saving

c) Maximum temperature : 1000°C d) Temperature accuracy : ±1°C

e) Temperature must be controlled using microprocessor based PID controller.

f) Digital display of set and actual temperature must be provided.

g) Heating element : Nichrome Kanthal wire

h) The system must reach maximum temperature from RT within 60 min. from the time of start.

i) The following accessories must be essentially provided for use along with the system

i) 2 pairs each of protection glove & crucible clip

ii) 12 pieces of crucible

14. Centrifuge (non-refrigerated) - 6 Nos.

a) Maximum RPM/RCF (g) : $\geq 13500 \pm 200/14500$ b) Time of operation : 0 to 99 min. ± 1 min.

c) Noise level : $\leq 60 \text{ db}$

d) Set as well as actual speed & time must have digital display.

e) Should be provided with brushless motor for long maintenance free life.

f) The centrifuge must have rotor imbalance detection and facility to stop operation upon imbalance detection.

g) Rotors : 18 x 2.0 ml & PCR strip rotor 2 x 8 x 0.2 ml

h) Both rotors should be provided with suitable safety lids & must be capable of operation at maximum speed.

i) Both rotors must be compatible to be used along with the supplied centrifuge.

j) Bidder must also supply suitable reduction adapters for 0.2/0.5 ml. microtubes for use along with 18×2.0 ml rotor (At least 36 adapters of each type must be supplied).

15. Mechanical stirrers

A. Must be capable of homogenizing, dispersing and emulsifying samples between 0.1 ml. to 250 ml.

Speed range : 10000 to 30000 rpm

Must have display of speed.

Dispensing shaft should be made of either stainless steel or PTFE

Must be able to be operated by holding in hand. Should additionally be provided with suitable stand to be operated using the same.

Shafts must be autoclavable, inert to abrasive solutions and removable for interchange and cleaning.

Noise label : $\leq 75 \text{ db}$ Protection class : IP 20

All available dispensing shaft for solid/liquid media must be supplied for operation in the entire volume range.

No. required: Four

B. Must be capable of homogenizing, dispersing and emulsifying samples between 1 ml. to 3000 ml.

Speed range : upto 25000 rpm

Must have digital display of speed.

Dispensing shaft should be made of either stainless steel or PTFE

Suitable stand for holding and adjusting the height of the system must be provided.

Shafts must be autoclavable, inert to abrasive solutions and removable for interchange and cleaning.

Noise label : $\leq 75 \text{ db}$ Protection class : IP 20

All available dispensing shaft for homogenization, mixing, suspension, mixing, extraction and emulsification of cell tissue (plant and animal) must be supplied for operation in the entire volume range.

No. required: Two

16. Vacuum pumps - 6 Nos.

a) Must be completely oil free

b) Max. vacuum : \geq 650 mm Hg. c) Vacuum accuracy : \pm 25 mm Hg. d) Maximum flow rate : \geq 25 lts./min.

- e) The system must be equipped with filter cartridge in air inlet to filter particle and moisture to prolong the life of pump.
- f) The system must be provided with suitable vacuum regulator & control system.
- g) Must have CE certification & IP 30 protection.

17. Fraction Collector - One

- a) Must be microprocessor controlled and have the capability to be programmed.
- b) Collection mode : Linear, zigzag or row
- c) Time range : $0.1 \text{ to } 999 \text{ min.} \pm 0.1 \text{ min. steps.}$
- d) Volume range : $0.01 \text{ to } 500 \text{ ml} \pm 0.1 \text{ ml}.$
- e) Racks to be supplied : 6 x 15 tubes of diameter 12mm

5 x 12 tubes of diameter 16mm 4 x 10 tubes of diameter 20mm 4 x 10 tubes of diameter 25mm 3 x 8 tubes of diameter 30mm

f) Interface : RS-232

- g) Must be provided along with suitable peristaltic pump, PTFE/silicone tubings, communication module for pump switching & RS-232 connection, remote control cable for fraction collector, RS-232 connection cable, pump remote control cable, etc, for standalone operation of the fraction collector.
- h) The system must be equipped with filter cartridge in air inlet to filter particle and moisture to prolong the life of pump.
- i) The system must be provided with suitable vacuum regulator & control system.

- j) Must have CE certification & IP 30 protection.
- 18. All equipment along and accessories must have 2 years comprehensive warranty.
- 19. It is mandatory for the bidders to quote for the cost of Comprehensive Annual Maintenance Contract (CAMC) for three years post warranty period failing which the bids shall automatically be treated as non-responsive.
- 20. The bidder must also quote for any required accessory, spares, etc. required for the standalone operation of the system. ICAR-IARI shall only responsible for proving suitable location and power requirement for operating the said system.
- 21. Each bidder must provide detailed printed catalogues highlighting each of the required specifications in the same along with their technical bids failing which they are liable to be technically rejected.
- 22. The purchaser will have the right to increase or decrease the number of requirement for each of the aforesaid equipment. Hence bidders are requested to quote prices of each of the items separately. However, contract shall only be awarded to the lowest bidder of the entire package with the finalized numbers.

Serial No. 2: Tractor

1. Engine : ≥ 4 cylinders

≥ 65 HP power at 2200 RPM

2. Steering : Power steering

3. Transmission type : Synchromesh, side shift

Clutch : Independent type

Gear box : At least 10 F & 10 R gears

Rear axle : Epicyclic reduction type of equivalent
4. Brake type : multiplate oil immersed disc rake

5. Hydraulics Type & lift capacity : ADDC & ≥ 2250 kg

3-point linkage : Double acting or equivalent

6. Power take off Type : IPTO

RPM : 540 @ ≥ 1900 ERPM

7. Fuel tank capacity : ≥ 50 lts.8. Ground clearance : ≥ 400 mm

9. Wheels & tyres Wheel drive : 4

Front : better than 11 x 24
Rear : better than 16.5 x 30

- 10. Must be provided with all requisite tools, bumpher, ballast weight, top link, drawbar & canopy.
- 11. The tractor along with all accessories must have 2 years comprehensive warranty.
- 12. It is mandatory for the bidders to quote for the cost of Comprehensive Annual Maintenance Contract (CAMC) for three years post warranty period failing which the bids shall automatically be treated as non-responsive.
- 13. The bidder must also quote for any required accessory, spares, etc. required for the standalone operation of the system. ICAR-IARI shall only responsible for proving suitable location and power requirement for operating the said system.
- 14. Each bidder must provide detailed printed catalogues highlighting each of the required specifications in the same along with their technical bids failing which they are liable to be technically rejected.

Serial No. 3: Multi-crop Planter

1. The pneumatic precision planter should be tractor mounted type with facility for three point hydraulic attachment.

- 2. Must be driven by tractor of \leq 65 HP.
- 3. Should be capable of handling seed sizes from 0.5 to 15 mm or more with deep sowing.
- 4. Number of rows : 4 or more
- 5. Row to row spacing : adjustable (minimum of 40 cm) using multi stage drilling gear
- 6. Plant to plant spacing : adjustable between 15 400 mm.
- 7. Must have capability for uniform seed distribution over all rows using mechanical seed disc drive.
- 8. Seed hopper volume : ≥ 5 lts. per row9. Furrow opening system : double disc
- 10. Must have facility for wheel and plot data recording and provided with side mounted depth gauge wheels.
- 11. The equipment along with all accessories must have 2 years comprehensive warranty.
- 12. It is mandatory for the bidders to quote for the cost of Comprehensive Annual Maintenance Contract (CAMC) for three years post warranty period failing which the bids shall automatically be treated as non-responsive.
- 13. The bidder must also quote for any required accessory, spares, etc. required for the standalone operation of the system. ICAR-IARI shall only responsible for proving suitable location and power requirement for operating the said system.
- 14. Each bidder must provide detailed printed catalogues highlighting each of the required specifications in the same along with their technical bids failing which they are liable to be technically rejected.

Serial No. 4: Multi-crop Combine Harvester

- 1. Must be suitable for harvesting rice, wheat, maize, sesame, gram, and sunflower and sugarcane.
- 2. Must be self-propelled having self-starting air or liquid-cooled diesel engine, power steering, hydraulic foot brake and provision for movement in forward & reverse direction, with suitable speed for field work & road drive.
- 3. Have facility for self-cleaning between plots.
- 4. Total loss of grains including damages & spill over if any should not exceed 2.5%.
- 5. Should be capable of operating in temperatures up to 50°C and dusty environments.
- 6. The header unit must be suitable for harvesting standing as well as lodged crops.
- 7. The header unit must have 4 to 6 arm pickup reel.
- 8. The reel height must be hydraulically adjustable and reel speed variable up to 100 rpm.
- 9. Must be provided with suitable spiral conveyor system and crop lifters.
- 10. Cutting width : 1.25 to 1.5 m
- 11. Must be provided with reciprocating knives cutter bar with hydraulic height adjustment up to 100 cm from the ground.
- 12. The track width should not be more than that of the cutter bar.
- 13. Ground clearance : \geq 20 cm
- 14. Cylinder : One each Rasp bar type & spike tooth with provision for

changing the speed of the cylinder as per the crop

requirement for threshing.

15. Concave : Interchangeable for different crops having provision for

changing concave clearance including separate header for

corn.

16. Cleaning/threshing efficiency : \geq 95% for wheat & \geq 98% for other crops with provision

of adjustment for 100% self-cleaning between two plots.

17. Must be provided with suitable grain collection, weighing & self-bagging system.

18. Weighing system & data collection : Must have provision for mobile collection of all harvest

data like grain weight per plot, moisture content,

volumetric weight.

- 19. Must be provided with suitable software for mobile harvesting for application of field maps, storing measured data and exporting the resulting data.
- 20. Must be essentially provided with sun protection for driver, parts catalogue and service manual in English (Hard & soft copies), complete tool set with hydraulic support system for changing tyres, concaves, etc. and high capacity vacuum cleaning system.
- 21. The equipment along with all accessories must have 2 years comprehensive warranty.
- 22. It is mandatory for the bidders to quote for the cost of Comprehensive Annual Maintenance Contract (CAMC) for three years post warranty period failing which the bids shall automatically be treated as non-responsive.
- 23. The bidder must also quote for any required accessory, spares, etc. required for the standalone operation of the system. ICAR-IARI shall only responsible for proving suitable location and power requirement for operating the said system.
- 24. Each bidder must provide detailed printed catalogues highlighting each of the required specifications in the same along with their technical bids failing which they are liable to be technically rejected.

Serial No. 5: Seed Counter

- 1. Must be capable of counting seeds from 0.5 mm to 15 mm or more.
- 2. Counting speed : ≥ 100 seeds per second
- 3. Counting accuracy : $\geq 99\%$
- 4. All set and calculated parameters including count data must be available on a LCE/LED/VFD touch panel with additional facility to use a keyboard & mouse for accessing the same.
- 5. Must have possibility of automatic calibration for all common seed types.
- 6. Must give results of seed count, average seed weight & thousand seed weight.
- 7. Must have capability to record the results internally and possibility of downloading the same.
- 8. Must have possibility for configuration of external devices like barcode reader, scale, etc., directly using a computer/laptop.
- 9. The equipment along with all accessories must have 2 years comprehensive warranty.
- 10. It is mandatory for the bidders to quote for the cost of Comprehensive Annual Maintenance Contract (CAMC) for three years post warranty period failing which the bids shall automatically be treated as non-responsive.
- 11. The bidder must also quote for any required accessory, spares, etc. required for the standalone operation of the system. ICAR-IARI shall only responsible for proving suitable location and power requirement for operating the said system.
- 12. Each bidder must provide detailed printed catalogues highlighting each of the required specifications in the same along with their technical bids failing which they are liable to be technically rejected.

Chapter IV: Statement of Technical Bid

(THIS TENDER SET IS NOT TRANSFERABLE)

(To be sealed in separate Cover)

1. Specification of the equipment/item (in detail) to be purchased.

S1. No.	Details of Technical Specifications of the quoted model of the goods/equipment/machinery	Whether complied with YES/NO	If yes, please attach Tech literature of the equipment duly printed & clearly specify page No of Bulletin which specifically confirm this	If no, attach deviation statement	Remarks (if any)

N.B.:- All the bidders are requested to provide true statement in the columns. Concealing of facts will liable to be rejected the tender completely. No communication will be made in this regard.

2. Category of classification of the goods in its packing as per IATA definition inclusive of nature of sensitivity and volume of cargo. (in case of imported items)

Signature of Tenderer with office seal

Chapter V: Statement of Financial/Price Bid

(THIS TENDER SET IS NOT TRANSFERABLE)

(To be sealed in separate Cover)

PROFORMA FOR PRICE BID

(Compulsory to be filled up with details by the bidder& sealed in separate cover)

Sl. No	De	tails of Specifications	Rate/Unit	Net Price			
1.							
2.							
3.							
4.							
5.							
6.	Optional						
	accessory						
in re no	I) Ex-factory price offer (excluding agency commission, to be invariably separately shown and if nothing is claimed reasons thereof must be indicated failing which the bid will not be considered)						
	aining Cost, if any						
	aging & handling cha						
	Price excluding agen						
	rance & Transportatio	on Costs					
Othe	er costs if any						
Any	payment to be paid in	n Indian Rupees towards agency					
VAT	commission, supply of Indian made item and other charges like VAT /S.T.						
Nam	Name of items: -						
	1						
	2						
	3						
	4						
	VA	Γ + S.T					
	Total						

^{*}Components to be supplied locally to be clearly indicated.

Signature of Tenderer with office seal

Annexure I : Performance statement of bidder for last 3 financial years

S1. No.	Name of the items	Name of the office by whom order was placed	Order No. & date (Please enclose copy of supply orders)	Value of supply order	Delivered in time or not	If not please specify the reason	Attach satisfactory working report from each office (Yes/No)

Signature of Tenderer with office seal

Annexure II: Cheklist for Bidders

Before submission of tender documents, Tenderers should check they have complied with the following requirements: -

Sl. No	Requirements to be checked before submission of the tender	Complied <u>Yes/No</u>	If complied to Page number in which the relevant document enclosed must be written
1.	Status of tenderer has been clearly written in tender - manufacturer or		
	manufactures authorized agent. If authorized agent, is case specific		
	authorization certificate from OEM in the prescribed proforma enclosed		
	{Chapter I, Sl. No. 9 (i), (ii) & (iii) a & b & Sl No. 22 A (vi), (vii), (viii), (ix) &		
_	(x)}		
2.	Latest Income Tax/PAN No./TIN No./VAT/ST/Trade Registration		
	Certificate {Chapter I, Sl. No. 9 (iii) c, d & e & Sl No. 22 A (viii), (ix) & (x)}		
3.	Details of supplies of similar equipment as per Annexure-I along with		
	copies of supply orders {Chapter I, Sl. No. 22 A (v)}		
4.	Tender document fee (₹ 2,000/-) {Chapter I, Sl. No. 22 A (iv)}		
5.	Bid security/EMD in the form of bank guarantee in the prescribed format		
	{Chapter I, Sl. No. 22 A (iii)}		
6.	Comprehensive annual maintenance contract (CAMC) in the prescribed		
	format from the OEM		
7.	Acceptance of conditions of contract mentioned in Chapter – II		
8.	Submission of bidder's undertaking as per Annexure 3.5 {Chapter I, Sl. No.		
	22 A (xii)}		
9.	Complete tender documents have been enclosed, after signature &		
	stamping on ALL pages.		
10.	Proposal has been submitted in two bid system - Technical Bid &		
	separate price Bid as per tender enquiry.		
11.	Offer validity as required in tender has been accepted & clearly		
	mentioned in tender document.		
12.	Delivery Terms & Period as per tender have been accepted and		
	mentioned in tender.		
13.	Payment Terms as per tender have been accepted and mentioned in		
	tender.		
14.	Compliance statement as per chapter-IV has been enclosed along with		
	supporting technical documents / proof for each point/parameter clearly		
	showing it is complied with or not.		
15.	Performance statement for 3 years as required in tender, in the laid down		
	format as per annexure-I, has been enclosed. If not, reasons be		
	specifically given in writing.		
16.	Warranty terms as per tender accepted.		
17.	Annexure-II regarding compliance of all conditions mentioned in the		
	tender form has been enclosed.		
18.	Free Training on use of equipment after supply, as specified tender, has		
	been accepted in writing.		
19.	Technical and financial bid along with necessary documents have been		
	sealed in separate envelops and both envelops again sealed in a big		
•	envelops with prescribed writing on envelops.		
20.	The tenderer has clearly mentioned in writing that business dealings		
	with their firms have not been banned by any Govt./Private agency.		
21.	If the tenderer wants to mention any specific condition, it must be		
	mentioned on the covering/forwarding letter only which will be placed		
	on the first page of the technical bid. Such condition mentioned in any		
	other document shall not be given any consideration.		

Annexure III: Proformae

3.1 BANK GUARANTEE TOWARDS EMD

(on non-judicial paper of appropriate value)

Bank Guarantee No.	Dated: (DD/MM/YYYY)
To, Director, ICAR-IARI, New Delhi - 110 012	
IARI) which expression shall, unless repugnant to successors, administrators, executors and assignees hat a manner not acceptance of the conditions, contained in the tender consisting of tender document and submission of the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract distinct from the contract which will come into the contract of the condition that the proposal shall be keeped on the condition that the proposal on this condition after en LARI promises to consider the proposal on this condition after en LARI promises to consider the proposal on this condition after en LARI promises to consider the proposal on this condition.	the context or the meaning thereof, include all its as on behalf of the Secretary, ICAR invited tender No. registered/head office at
having head/registered offi expression shall, unless repugnant to the contradministrators and executors hereby issue irrevocal pay immediately on first demand in writing only) at any time reservations, recourse, contest or protest and/or demand made by the ICAR-IARI on the bank so difference between the ICAR-IARI and the bidder any other matter whatsoever. We also agree to give	ered (indicate the name of Bank) under the laws of ice at (hereinafter referred to as the "Bank") which ext or meaning thereof, include all its successors, ole and unconditional bank guarantee and undertake to all money to the extent of Rs (Rupees immediately on such demand without any demur, or without any reference to the bidder and any such thall be conclusive and binding notwithstanding any or any dispute pending before any court/arbitrator or that Guarantee herein to ICAR-IARI in writing. This if fected by the liquidation, winding up, dissolution or ling and operative against the bank.
3. The bank also undertakes that the ICAR-IARI at	the option shall be entitled to enforce this guarantee,

against the Bank as a principal debtor, in the first instance, without proceeding against the bidder.

- 4. The bank further agree that as between the bank and the ICAR-IARI, purpose of the guarantee, any notice of the breach of the terms and conditions contained in the tender Documents as referred above given to the bank by the ICAR-IARI shall be conclusive and binding on Bank, without any proof, notwithstanding any other matter or difference or dispute whatsoever. We further agree that this guarantee shall not be *affected* by any change in our constitution, in the constitution of the ICAR-IARI or that of the bidder. We also undertake not to revoke, in any case, this Guarantee during its currency.
- 5. The bank agree with ICAR-IARI that ICAR-IARI shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms of the tender or get extension of the validity period from time to time. We shall not be relieved from our liability by reason of any such variation or extension of the validity period or for any forbearance, act of omission and commission on the part of ICAR-IARI or any indulgence shown by the ICAR-IARI to the said bidder or by any such matter or thing whatsoever which under the law relating to sureties, would, but for this provision, have the effect of so relieving us.

6.	Notwithstanding anything contained here in above	e our liability under his Guarantee is limited to Rs					
	(Rupees only) in as	ggregate and it shall remain in full force upto					
	(300 days from the date of bid opening) unless ex	stended further from time to time, for such period as may					
	be instructed in writing by M/s	on whose behalf this guarantee has been given, in					
	which case, it shall remain in full force upto the en	xpiry of extended period. Any claim under this guarantee					
		ate of expiry of validity period) or before the expiry of					
	extended period, if any. If no such claim is received	ed by us within the said date/extended date, the rights of					
	the ICAR-IARI under this guarantee will cease. I	However, if such a claim has been received by us within					
	and upto the said date/extended date, all right of	of the ICAR-IARI under this guarantee shall be valid and					
	shall not cease until we have satisfied that claim.						
7.	Guarantee will stand automatically extended unrequisite amount towards performance guarantee failure to furnish performance bank Guarantee in date the claim must be submitted to us within values been received by us within the said date/extermill cease. However if such a claim has been received the ICAR-IARI under this guarantee shall be valid witness where of the Bank, through its authorize	In case contract is awarded to the bidder here in after referred to as "Contractor" the validity of this Bank Guarantee will stand automatically extended until the bidder furnished ICAR-IARI a bank guarantee for requisite amount towards performance guarantee for satisfactory performance of the contract. In case of failure to furnish performance bank Guarantee in the format prescribed by the ICAR-IARI by the required date the claim must be submitted to us within validity period or extended period, if any. If no such claim has been received by us within the said date/extended date, rights, of the ICAR-IARI under this guarantee will cease. However if such a claim has been received by us within the said date/extended date all rights of the ICAR-IARI under this guarantee shall be valid and shall not cease until we have satisfied that claim, In witness where of the Bank, through its authorized officer, has sent its hand & stamp on this day of (month & year) at (city/state).					
	Signature						
	(Full name in capital letters)						
	Designation with bank stamp						
	TAT'. NT 4	TATE NO O					
	Witness No. 1	Witness No. 2					
	Signature	Signature					
	(Full name and address in capital letters)	(Full name and address in capital letters)					

Attorney as per power of attorney No -----Date -----

3.2 PERFORMANCE BANK GUARANTEE (on non-judicial paper of appropriate value)

Ва	nk Guarantee No.	Dated:	(DD/MM/YYYY)
Тс	o, Director, ICAR-IARI, New Delhi – 110 012		
ac (h "tl	ear Sir, In consideration of the ICAR-IARI, New D cept the terms and conditions of the proposed ereinafter called "the said contractor(s)" for the he said agreement"} having agreed to produc (Rupees only) mpliance of his obligations in accordance with the	agreement between work tion of an irrevocable as a security/guarantee	and (hereinafter called Bank Guarantee for Rs. from the contractor(s) for
1.	We (hereinafter ref ICAR-IARI an amount not exceeding Rs first written demand by ICAR-IARI.		
2.	We (indicate the name amounts due and payable under this Guarante ICAR-IARI stating that the amount claimed is r due from the said contractor(s). Any such deregards the amount due and payable by the Baunder this Guarantee shall be restricted to an only).	e without any demur, nequired to meet the recommand made on the Barank under this Guaranto	nerely on a demand from overies due or likely to be ak shall be conclusive as see. However, our liability
3.	We, the said Bank, further undertake to protein absolute and unequivocal. The payment so mad of our liability for payment thereunder, and the making such payment.	d by the contractor(s) ig thereto, our liability e by us under this bond	n any suit or proceeding under this present being shall be a valid discharge
4.	We	effect during the period hall continue to be enfo nt have been fully paid, IRI, on behalf of Secretar we been fully and proper	I that would be taken for rceable till all the dues of and its claims satisfied or ry, ICAR, certifies that the
5.	We (indicate the nathest it shall have the fullest liberty without our obligations hereunder, to vary any of the terms time of performance by the said contractor(s) if from time to time any of the powers exercisable to forbear or enforce any of the terms and condition to be relieved from our liability by reason of the said contractor(s) or for any forbearance, act	consent, and without effections of the sale on time to time or to by ICAR-IARI against tions relating to the sale any such variation or estimated	ecting in any manner our id agreement or to extend postpone for any time or the said contractor(s), and agreement, and we shall xtension being granted to

	us.
6.	This Guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
7.	We (indicate the name of the Bank) lastly undertake not to revoke this Guarantee except with the previous consent of the ICAR-IARI in writing.
3.	This Guarantee shall be valid up to (27 months from its date of issue) unless extended on demand by the ICAR-IARI. Notwithstanding anything mentioned above, our liability against this Guarantee is restricted to Rs (Rupees only), and unless a claim in writing is lodged with us within six months of the date of expiry or extended date of expiry of this Guarantee all our liabilities under this Guarantee shall stand discharged.
Da	ated the day of (month & year)
Fc	or
Gı	ranted by the Bank

Yours faithfully

indulgence by ICAR-IARI to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving

3.3 CASE SPECIFIC CERTIFICATE OF AUTHORIZATION FROM ORIGINAL EQUIPMENT/GOODS MANUFACTURER

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include an original ink signed copy of the same it in its technical hid!

		Dated : [inser	t date (as day, month and year) of Bid Subn	iission]
To,				
Director,				
ICAR-IARI, New De	elhi - 110 012			
and on-sit	tion towards tender in the support for, Yezin, Myanmar.	no [<i>name</i>	for supply, installation, commissing of the equipment/goods] at ACARE,	ioning Yezin
goods manufactured], ha authorize [insert comple	ving factories at [inse ete name of Bidder] to ufactured by us [inse	ert full addres submit a bid ert name and	e official manufacturers of [insert as of Manufacturer's factories], do he the purpose of which is to provide or brief description of the Goods], as	nereby de the
the aforesaid equipments supply cleared, transposincluding the contact persequents from the date of its secondary secondary.	nt/goods manufacture orted, installed through son]. We also extend on installation [2 years grance (labour & span	ed by us are reght [insert compour guarantee war uarantee/war uarantee/war	commissioning and warranty service equired in Myanmar. We intend to golete name, address, email and contact and warranty (on site) for a period eranty + 3 years post guarantee/war uipment/goods supplied by us thing the contact person].	get the details of five rranty
by us we would attend days from the date of lo	to it within 3 (three) odging the complaint is delayed beyond 1	working days with the afor 0 (ten) worki	kdown of the equipment/goods sups and make it functional 10 (ten) we esaid contact person through emailing days, the guarantee/ warranty n each case.	orking . If for
Name: [insert complete n	ıame(s) of authorized rep	resentative(s) o	of the Manufacturer]	
Title: [insert title]				
Duly authorized to sigr	n this Authorization or	n behalf of: [in	sert complete name of Bidder]	
Dated on Mobile No. Email	day of		_ [insert date of signing]	

NOTE

EMAIL ID & MOBILE NUMBER OF THE SIGNATORY IS A MANDATORY REQUIREMENT TO ASCERTAIN THE AUTHENTICITY OF THE CERTIFICATE IF SO REQUIRED.

ANY BID CONTAINING THIS CERTIFICATE WITHOUT THE MENTION OF A VALID EMAIL ID & MOBILE NUMBER SHALL BE SUMMARARILY TREATED AS NON-RESPONSIVE

3.4 Comprehensive Annual Maintenance Charges (CAMC) for

Director, ICAR-IARI, New Delhi - 110 012 Subject: On-site CAMC charges for the supply of	to be supplied to IM-ACARE, Yezin Myanmar vide Tender No
Director, ICAR-IARI, New Delhi - 110 012 Subject: On-site CAMC charges for the supply of	of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include an original ink signed copy
Director, ICAR-IARI, New Delhi - 110 012 Subject: On-site CAMC charges for the supply of	Dated : [insert date (as day, month and year) of Bid Submission
and accessories supplied against tender no [tender no.] dated to IM-ACARE, Yezim Myanmar. Dear Sir, We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], are pleased to offer the cost of on-site CAMC charges for three years post warranty period as given below: 1st Year post warranty : 2nd Year post warranty : We also undertake that in case of malfunction/breakdown of the equipment/goods supplied by us we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is delayed beyond 10 (ten) working days, the guarantee/warranty shall automatically get extended by double the period of delay in each case. Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	
We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], are pleased to offer the cost of on-site CAMC charges for three years post warranty period as given below: 1st Year post warranty :	and accessories supplied against tender no [tender no.] dated to IM
2nd Year post warranty : 3rd Year post warranty : We also undertake that in case of malfunction/breakdown of the equipment/goods supplied by us we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is delayed beyond 10 (ten) working days, the guarantee/warranty shall automatically get extended by double the period of delay in each case. Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	- , , , -
We also undertake that in case of malfunction/breakdown of the equipment/goods supplied by use we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is delayed beyond 10 (ten) working days, the guarantee/warranty shall automatically get extended by double the period of delay in each case. Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	1st Year post warranty :
We also undertake that in case of malfunction/breakdown of the equipment/goods supplied by use we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is delayed beyond 10 (ten) working days, the guarantee/warranty shall automatically get extended by double the period of delay in each case. Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	2 nd Year post warranty :
we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is delayed beyond 10 (ten) working days, the guarantee/warranty shall automatically get extended by double the period of delay in each case. Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	3 rd Year post warranty :
Title: [insert title] Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	we would attend to it within 3 (three) working days and make it functional 10 (ten) working days from the date of lodging the complaint with the aforesaid contact person through email. If for any reason, the same is
Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]	Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]
	Title: [insert title]
Dated on day of, [insert date of signing]	Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]
	Dated on day of, [insert date of signing]

NOTE

Mobile No.

Email

EMAIL ID & MOBILE NUMBER OF THE SIGNATORY IS A MANDATORY REQUIREMENT TO ASCERTAIN THE AUTHENTICITY OF THE CERTIFICATE IF SO REQUIRED.

ANY BID CONTAINING THIS CERTIFICATE WITHOUT THE MENTION OF A VALID EMAIL ID & MOBILE NUMBER SHALL BE SUMMARARILY TREATED AS NON-RESPONSIVE

3.5 Bidder's Undertaking

To,					
Director,					
ICAR-IARI, New Delhi – 110 012					
Tender No. :					
Due Date :					
Having examined the Bidding Documents including Addenda Nos., if any issued, the receipt of which is duly acknowledged, we, the undersigned, offer to supply					
and deliver (Description of goods/equipment/machinery) in conformity with said bidding documents.					
We, undertake, if our bid is accepted, to deliver the goods in accordance with the delivery and Installation schedule specified in the aforesaid bid document.					
If our bid is accepted, we will submit performance security in a sum of equivalent to 10% of the Contract Price for the due performance of the contract.					
We agree to abide by this bid for a period of 270 (two hundred and seventy) days after the date fixed for bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.					
Until a formal contract is prepared and executed, this bid together with your written acceptance thereof shall constitute a binding contract between us.					
We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988".					
We confirm that stipulated Bid Security is enclosed herewith as a part of bid.					
We understand that you are not bound to accept the lowest or any bid you may receive.					
We accept all your terms and conditions stipulated in this bid document without deviations, both technical & techno-commercial.					
Dated this (Date) Day of (month) 201_					
(Signature) (In the capacity of)					
Duly authorised to sign Bid for and on behalf of					
Signed					

3.6 Contract Agreement

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

THIS CONTRACT AGREEMENT is made in the [insert: number] day of [insert: month], [insert: year].

BETWEEN

- (1) [insert complete name of Purchaser], a [insert description of type of legal entity, for example, an agency of the Ministry of of the Government of {insert name of Country of Purchaser}, or corporation incorporated under the laws of {insert name of Country of Purchaser}] and having its principal place of business at [insert address of Purchaser] (hereinafter called "the Purchaser"), and
- (2) [insert name of Supplier], a corporation incorporated under the laws of [insert: country of Supplier] and having its principal place of business at [insert: address of Supplier] (hereinafter called "the Supplier").

WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz., [insert brief description of Goods and Services] and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of [insert Contract Price in words and figures, expressed in the Contract currency(ies)] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and construed as an integral part of the Contract:

This Contract Agreement

Instruction to bidders - Annexure 1
Conditions of Tender/Contract - Annexure 2
Technical Requirements (including schedule - Annexure 3

of requirements and technical specifications)

The Supplier's bid and original price schedules - Annexure 4
The Purchaser's Notification of Award - Annexure 5

- 3. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.
- 4. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 5. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of [insert the name of the Contract governing law country] on the day, month and year indicated above.

For and on behalf of the Purchaser	For and on behalf of the Supplier		
Principal Investigator PM&CU, IM-ACARE			
In presence of	In presence of		
1.	1.		

2. _____

2. _____